

Typical planting and harvest period based on average frost dates and normal temperatures

Grand Junction																						
Early March	Mid March	Late March	Early April	Mid April FROST	Late April	Early May	Mid May	Late May	Early June	Mid June	Late June	Early July	Mid July	Late July	Early Aug.	Mid Aug.	Late Aug.	Early Sept.	Mid Sept.	Late Sept.	Early Oct.	Mid Oct. FROST
40-45 day, cool season crops (spinach, lettuce)				65-75 day, cool season crops (peas)																		
50-60 day, cool season crops (kohlrabi, beets, broccoli, cabbage,				55-60 day, cool season crops (beets, broccoli, cabbage, carrots,																		
65-70 day, cool season crops (peas)				40-50 day, cool season crops (spinach, lettuce, kohlrabi)																		
75-80 day, cool season crops																						
				50-55 day, semi-tender, warm season crops (summer squash)																		
				60-65 day, semi-tender, warm season crops (cucumbers)																		
				70-75 day, semi-tender, warm season crops (beans, corn) Warm soil needed.																		
				80 day, semi-tender, warm season crops (corn)																		
				70 day, tender, warm season crops (tomatoes, peppers, eggplant)																		
				80-85 day, tender, warm season crops (cantaloupe, watermelon)																		
				90-95 day, tender, warm season crops (winter squash)																		

Cold-hardy crops, like spinach & lettuce, can also be planted in the fall for a spring Crop

Delta																					
Early March	Mid March	Late March	Early April	Mid April	Late April FROST	Early May	Mid May	Late May	Early June	Mid June	Late June	Early July	Mid July	Late July	Early Aug.	Mid Aug.	Late Aug.	Early Sept.	Mid Sept.	Late Sept.	Early Oct. FROST
40-45 day, cool season crops (spinach, lettuce)				65-70 day, cool season crops (peas)																	
50-60 day, cool season crops (kohlrabi)				50-55 day, cool season crops (kohlrabi)																	
60-70 day, cool season crops (beets, broccoli, cabbage, carrots, cauliflower, chard, peas)				75 day cool season crops																	
75 day cool season crops				40-45 day, cool season crops (spinach, lettuce)																	
				50 day, semi-tender, warm season crops (summer squash)																	
				55-60 day, semi-tender, warm season crops (cucumbers)																	
				65-70 day, semi-tender, warm season crops (beans) Warm soil needed.																	
				75-80 day, semi-tender, warm season crops (corn)																	
				85-90 day, semi-tender, warm season crops (corn)																	
				70-75 day, tender, warm season crops (tomatoes, peppers, eggplant)																	
				80-85 day, tender, warm season crops (cantaloupe, watermelon)																	
				90-95 day, tender, warm season crops (winter squash)																	

Montrose																						
Early March	Mid March	Late March	Early April	Mid April	Late April FROST	Early May	Mid May	Late May	Early June	Mid June	Late June	Early July	Mid July	Late July	Early Aug.	Mid Aug.	Late Aug.	Early Sept.	Mid Sept.	Late Sept.	Early Oct.	Mid Oct. FROST
40-45 day, cool season crops (spinach, lettuce)				60-70 day, cool season crops (beets, broccoli, cabbage, carrots, cauliflower, chard, peas)																		
50-55 day, cool season crops (kohlrabi)				50-55 day, cool season crops (kohlrabi)																		
55-60 day, cool season crops (beets, broccoli, cabbage, carrots, cauliflower, chard)				40-45 day, cool season crops (spinach, lettuce)																		
65-75 day, cool season crops (peas)				75 day cool season crops																		
				50-60 day, semi-tender, warm season crops (summer squash, cucumbers)																		
				65-70 day, semi-tender, warm season crops (beans)																		
				75 day, semi-tender, warm season crops (corns)																		
				80 day, semi-tender, warm season crops (corn)																		
				85 day, semi-tender, warm season crops (corns)																		
				70-75 day, tender, warm season crops (tomatoes, peppers, eggplant)																		
				80 day, tender, warm season crops (cantaloupe, watermelon)																		
				85 day, tender, warm season crops (winter squash)																		

Ouray																					
Mid March	Late March	Early April	Mid April	Late April	Early May	Mid May FROST	Late May	Early June	Mid June	Late June	Early July	Mid July	Late July	Early Aug.	Mid Aug.	Late Aug.	Early Sept.	Mid Sept.	Late Sept.	Early Oct. FROST	
			40 day, cool season crops (spinach)									60-70 day, cool season crops (beets, broccoli, cabbage, carrots, cauliflower, chard, peas)									
			45-50 day, cool season crops (lettuce, kohlrabi)									50-55 day, cool season crops (kohlrabi)									
			55-60 day, cool season crops (beets, broccoli, cabbage, carrots, cauliflower, chard)										40-45 day, cool season crops (spinach, lettuce)								
			65-75 day, cool season crops (peas)																		
					50-60 day, semi-tender, warm season crops (summer squash, cucumbers)																
					65-70 day, semi-tender, warm season crops (beans)																
					75 day, semi-tender, warm season crops (corns)																
					80 day, semi-tender, warm season crops (corn)																
					85 day, semi-tender, warm season crops (corns)																
					70-75 day, tender, warm season crops (tomatoes, peppers, eggplant)																
					80 day, tender, warm season crops (cantaloupe, watermelon)																
					85 day, tender, warm season crops (winter squash)																